

# The Odd P P Moderate of the National Property of EA, 1AF and ILAC Mutual Recognition Agreements Lab Service Analytica S.r.l. - Div.InterCinD



#### PTP Nr0007 ACCREDIA **REF. ISO/IEC 17043:2010**



#### MD11M-SUBSCRIPTION FORM FOR:

# InterCinD PTs YEAR 2024 Rev.02 29 February 2024

Amendments: Indicative Range IC2024PFAS, IC2024SSE/1, IC2024SSE/2 sediment and fly-ash

This revision cancels and replaces Rev.01

#### ALL SCHEMES ARE ACCREDITED EN ISO IEC 17043:2010

LabService Analytica as InterCinD Division is Accredited ISO/IEC 17043:2010.

Accreditation certifies the technical competence of the Organization in the specified field as reported in the details of the **Accredited Schemes.** 

The InterCinD is organized in conformity with international guidelines UNI CEI EN ISO/IEC 17043:2010, including the statistical analysis of data for evaluating laboratory performances through the z-scores (accuracy) and measures of dispersion (precision).

InterCinD offers Accredited Proficiency Tests for the determination of PCDD/F, PAH, HM, PBDE, PCB-DL, PCB-ICES6, in Environmental, Industrial, Food/Feed materials and water; and also PT for ODOR OLFACTOMETRY (EN 13725) and PFAS determination

InterCinD aims to develop the quality methods and to support Analytical Laboratories in testing their performance with real endogenous (not for ODOR samples) contaminated samples (not spiked) and on request, is also available to offer Performance Validation Service on InterCinD Materials.

Essence of InterCinD are the materials used, REAL MATRIX available in NATURE, prepared and characterized according to the international guidelines for the production of reference materials.

# **ID SCHEMES MATRIX AND MEASURANDS**

IC2024 PFAS	PFAS	WASTE WATER	
		WATER	
	PCDD/F	WATER	
IC2024SSE/1	РСВ	WATER	
		SEDIMENT	
IC2024SSE/2	PCDD/F	FLY-ASH	
		FEED-FOOD	
		SEDIMENT	
	РСВ	FLY-ASH	
		FEED-FOOD	
	PAH	SEDIMENT	
IC2024	1- BUTANOL	GAS	
ODOR	тнт	GAS	
	DCDD /5	SOIL	
IC2024SSE/3	PCDD/F	FEED-FOOD	
	РСВ	SOIL	
	PCD	FEED-FOOD	

# **CALENDAR 2024 SUMMARY**

	М	ar-24	Apr-24	May-24	June-24	July-24	Aug-24	Sept-24	Oct-24	Nov	-24	Dec-24	Jan-25
	IC2024 PFAS 7 <sup>th</sup> March	IC2024SSE/1 8 <sup>th</sup> March		IC2024SSE/2 10 <sup>th</sup> May (FLY-SED- BIOTA)		IC2024 ODOR 25 <sup>th</sup> July		IC2024SSE/3 20 <sup>th</sup> September (SOIL-FOOD)					
Sample Shipment			IC2024SSE/1 1 <sup>st</sup> week of April (8- 12)		IC2024SSE/2 1 <sup>st</sup> week of June (3- 7)(FLY-SED-BIOTA)			IC2024 ODOR 2-3 <sup>th</sup> week of September	IC2024SSE/3 1 <sup>st</sup> week of October (4-8) (SOIL- FOOD)				
Data from LAB				IC2024SSE/1 10 <sup>th</sup> May			IC2024SSE/2 9 <sup>th</sup> August			al.	IC2024 ODOR 10 <sup>th</sup> November		
Report Emission					IC2024 PFAS 14 <sup>th</sup> June		IC2024SSE/1 1 <sup>st</sup> August		IC2024SSE/2 25 <sup>th</sup> October				IC2024SSE/3 30 <sup>th</sup> January

#### **DETAILS FOR PARTICIPANTS INTERCIND PTS (SEE 1001P FOR EACH SCHEME)**

#### **Dear InterCinD Participant:**

#### Thanks a lot for your Interest in InterCinD PTx.

- a) InterCind ask to every participant Lab to manage PTx samples as the majority of the routinely tested samples
- b) The factors that could influence the testing or calibration of PTx items are limited to the method of sample preparation or analysis you adopt in your Lab
- c) The PTx scheme does not require particular procedures for preparing or conditioning the items excepting form what reported on Operative Instructions (IOO1P) for each Scheme.
- d) The PTx items are collected as real samples (environmental and industrial or food-feed) and the contamination level is the one they have in their original environment. They should be handled following the routinely safety requirements of your lab and Country
- e) Considering the PTx items, no particular requirements about environmental conditions are specified
- f) Please dispose of material residues as waste, following your Country regulation.

#### **HOW TO PROCEED:**

#### If you are interested in InterCinD participation, please read the following Instructions:

- 1. Check the Scheme of Interest in the CALENDAR
- 2. <u>Choose the Scheme, the samples and the measurands of interest and mark the module (look at the example of subscription):</u>
- 3. Fulfill the Form of Subscription with your data.
- 4. Calculate your amount due
- 5. Send back this form duly fulfilled to: **InterCIND Organization** by e-mail to: **info@intercind.eu** before the DATE REPORTED FOR EACH SCHEME
- 6. Samples will be sent to participants within the DATE REPORTED FOR EACH SCHEME Analytical Data Results should be insert in your Reserved Area on InterCinD website within the DATE REPORTED FOR EACH SCHEME

#### Example of subscription: PCDD/F and PCB in FLY-ASH matrix

		cad.	cad. for 2 measurands		cad. for 3 measurands	full	
	SEDIMENT	400 €	350 €		300€		
PCDD/F	FLY-ASH	400 €	350 €	X	300 €		
	FEED-FOOD	400 €	350 €		300€	1 400 6	
	SEDIMENT	400 €	350 €		300€	1.400 €	
РСВ	FLY-ASH	400 €	350 €	X	300 €		
	FEED-FOOD	400 €	350 €		300€		

#### Example of subscription: FULL (ALL MATRICES FOR ALL MEASURANDS)

		cad.	cad. for 2 measurands	•	cad. for 3 measurands	full	
	SEDIMENT	400 €	350€		300 €		
PCDD/F	FLY-ASH	400 €	350 €		300 €		
	FEED-FOOD	400 €	350€		300 €	1 400 6	.,
	SEDIMENT	400 €	350 €		300 €	1.400 €	Х
PCB	FLY-ASH	400 €	350 €		300 €		
	FEED-FOOD	400 €	350 €		300 €		

# **DETAILS AND PRICE LIST**

The following price list can be configured considering the kind of analysis your Lab want to participate.

SCHEME: IC2024PFAS

MARCH 2024

SCHEME ACCREDITED EN ISO IEC 17043:2010

#### **SAMPLES AVAILABLE**

> WASTE-WATER: set of 3 bottles 0,250 mL/each

#### ANALYTES TO BE DETERMINED IN THE SAMPLES:

Indicative Range of concentration for each	ch Micropollutants:
Accredited	Indicative Range
PFOA Acido n-perfluoroottanico	0-500 ng/L
L-PFOS Acido L-perfluoroottaansolfonico	0-500 ng/L
PFBA Acido n-perfluorobutanoico	0-20 ng/L
PFPeA Acido n-perfluoropentanoico	0-20 ng/L
PFHxA Acido n-perfluoroesanoico	0-100 ng/L
PFHpA Acido perfluoroeptanoico	0-100 ng/L
PFNA Acido n-perfluorononanoico	0-20 ng/L
PFDA Acido n-perfluorodecanoico	0-20 ng/L
PFUnA Acido n-perfluoroundecanoico	0-20 ng/L
PFDoA Acido n-perfluorododecanoico	0-20 ng/L
L-PFHxS Acido perfluoroesansolfonico	0-20 ng/L
PFBS Acido perfluorobutansolfonico	0-1500 ng/L
Not Accredited	Indicative Range
(8:2) FOET 2-Perfluoroctil ethanol	0-20 ng/L

# **IC2024PFAS FEE**

		cad.	
PFAS	WASTE-WATER	750 €	

10% DISCOUNT FOR REGISTRATIONS WITHIN JANUARY 2024

# **PLEASE NOTE**

SHIPMENT COSTS AT OUR CHARGE IN ITALY

- 70 EUROS FOR SHIPMENT EU AND OUTSIDE EU
- EXTRA QUANTITY OF SAMPLE (ask for Offer)

# SCHEME: IC2024SSE/1 APRIL 2024 SCHEME ACCREDITED EN ISO IEC 17043:2010

#### **SAMPLES AVAILABLE**

> INDUSTRIAL WATER: set of 3 bottles 1 liter/each

#### **ANALYTES TO BE DETERMINED IN THE SAMPLES:**

**Dioxins, Furans, PCBs Dioxin Like** (77,81,105, 114,118,123,126, 156, 157, 167, 169, 189), **PCB-ICES** (28, 52, 101, 118, 138, 153, 180), **Total-PCB** 

Indicative Range of concentration for each Micropollutants:					
Dioxins/Furans (EPA 1613)	0-50 pg/L				
PCB-Dioxins Like (EPA1668)	0-500 pg/L				
PCB-ICES (EPA1668)	0-500 pg/L				

# IC2024SSE/1 FEE

		cad.	full	
PCDD/F	WATER	950€	4 500 6	
РСВ	WATER	650€	1.500 €	

- SHIPMENT COSTS AT OUR CHARGE IN ITALY
- 70 EUROS FOR SHIPMENT EU AND OUTSIDE EU
- EXTRA QUANTITY OF SAMPLE (ask for Offer)

# SCHEME: IC2024SSE/2

#### **JUNE 2024**

#### **SCHEME ACCREDITED EN ISO IEC 17043:2010**

#### SAMPLES AVAILABLE (1 SET of 3 bottles/rates for the same matrix):

> ENVIRONMENTAL NATURAL SEDIMENT

> INDUSTRIAL FLY-ASH ATTENTION: LIMITED MATERIAL MAXIMUN 50 PARTICIPANTS

> FOOD FOOD (FISH)

#### **ANALYTES TO BE DETERMINED IN THE SAMPLES:**

**Dioxins, Furans, PCBs Dioxin Like** (77,81,105, 114,118,123,126, 156, 157, 167, 169, 189), **PCB-ICES** (28, 52, 101, 118, 138, 153, 180), **Total-PCB, PAH ONLY FOR SEDIMENT** 

IC2024SSE/2 SESEDIMENT - Indicative Range of concentration for each Micropollutants:						
Dioxins/Furans (EPA 1613)	0-100 ng/Kg					
PCB-Dioxins Like (EPA1668)	0-1500 ng/Kg					
PCB-ICES (EPA1668)	0-1500 ng/Kg					
РАН	0-5 mg/Kg					
IC2024SSE/2 FLY-ASH - Indicative Range of	concentration for each Micropollutants:					
Dioxins/Furans (EPA 1613)	0-5000 pg/g					
PCB-Dioxins Like (EPA1668)	0-100 pg/g					
PCB-ICES (EPA1668)	0-100 pg/g					
IC2024SSE/2 FOOD - Indicative Range of co.	ncentration for each Micropollutants:					
Dioxins/Furans (EPA 1613)	TO BE DEFINED					
PCB-Dioxins Like (EPA1668)	TO BE DEFINED					
PCB-ICES (EPA1668)	TO BE DEFINED					

### IC2024SSE/2 FEE

		cad.		cad. for 2 measurands	cad. for 3 measurands	full	
	SEDIMENT	400 €		350€	300 €		
PCDD/F	FLY-ASH	400 €		350 €	300 €		
	FEED-FOOD	400 €		350€	300 €	1 100 6	
	SEDIMENT	400 €		350€	300 €	1,400 €	
PCB	FLY-ASH	400 €		350 €	300 €		
	FEED-FOOD	400 €		350 €	300 €		
PAH	SEDIMENT	FREE*		FREE*	FREE*	FREE*	

#### \* FREE WITH THE PURCHASE OF A SAMPLE

- SHIPMENT COSTS AT OUR CHARGE IN ITALY
- 70 EUROS FOR SHIPMENT EU AND OUTSIDE EU
- EXTRA QUANTITY OF SAMPLE (ask for Offer)

#### **SCHEME: IC20240DOR**

# SEPTEMBER 2024 SCHEME ACCREDITED EN ISO IEC 17043:2010

#### **SAMPLES AVAILABLE:**

- ➤ <u>n-Butanol</u> 10 BOTTLES: two sets composed of 5 bottles at 2 different levels of concentration
- > Tetrahydrothiophene (THT) 3 BOTTLES: 1 SET of 3 bottles

#### **ANALYTES TO BE DETERMINED IN THE SAMPLES:**

1-butanol, THT (tetraidrotiofene)

IC2024ODOR - Indicative Range of concentration for each gas:				
1-butanol	Lower than 200 ppm			
THT	Lower than 1,5 ppm			

#### **IC20240DOR FEE**

		cad.	full	
BUTYL ALCOHOL	GAS	3.000 €	2 200 6	
тнт	GAS	1.000 €	3.800 €	

		cad.	Quantity
BUTYL ALCOHOL	Pressure reducers	130 €	
тнт	Pressure reducers	250 €	

- 80 EUROS FOR SHIPMENT IN ITALY
- 200 EUROS FOR SHIPMENT IN EU
- CFR SHIPMENT TO BE DETERMINED BY COUNTRY OF DELIVERY OUTSIDE EU
- EXTRA QUANTITY OF SAMPLE (ask for Offer)

#### **DETAILS FOR THIS EN ISO IEC 17043:2010 ACCREDITED:**

In this edition InterCinD will provide 1 butanol bottles at 2 different concentrations (total 10 bottle 1,6 lt at 40 bars).

The PT follows performance criteria as defined in EN 13725:

- "r" precision under repeatability and "A" accuracy

When reference value certificate by single non accredited expert laboratory.

These values will be calculated for both butanol and THT.

# SCHEME: IC2024SSE/3 OCTOBER 2024 SCHEME ACCREDITED EN ISO IEC 17043:2010

#### SAMPLES AVAILABLE (1 SET of 3 bottles/rates for the same matrix):

> ENVIRONMENTAL SOIL

> FOOD FOOD (FISH)

#### **ACCREDITED ANALYTES TO BE DETERMINED IN THE SAMPLES:**

**Dioxins, Furans, PCBs Dioxin Like** (77,81,105, 114,118,123,126, 156, 157, 167, 169, 189)**, PCB-ICES** (28, 52, 101, 118, 138, 153, 180),

IC2024SSE/3 SOIL- Indicative Range of concentration for each Micropollutants:			
Dioxins/Furans (EPA 1613)	TO BE DEFINED		
PCB-Dioxins Like (EPA1668) TO BE DEFINED			
PCB-ICES (EPA1668)	TO BE DEFINED		
IC2024SSE/3 FOOD- Indicative Range of concentration for each Micropollutants:			
Dioxins/Furans (EPA 1613)	TO BE DEFINED		
PCB-Dioxins Like (EPA1668)	TO BE DEFINED		
PCB-ICES (EPA1668)	TO BE DEFINED		

# **EDITION IC2024/3 FEE**

_		cad.	cad. for 2 measurands	cad. for 3 measurands		full	
PCDD/F	SOIL	400 €	350 €	300 €		1.200 €	
	FEED-FOOD	400 €	350 €	300 €			
РСВ	SOIL	400 €	350 €	300 €			
	FEED-FOOD	400 €	350 €	300 €			

- SHIPMENT COSTS AT OUR CHARGE IN ITALY
- 70 EUROS FOR SHIPMENT EU AND OUTSIDE EU
- EXTRA QUANTITY OF SAMPLE (ask for Offer)

#### **FULFILL THE SUBSCRIPTION FORM**

#### Please ship the samples to (SHIPMENT ADDRESS):

•	,	
NAME		
Company/Lab /Agen	су	
ZIP code	TOWN	COUNTRY
E-mail		
And Invoice to (INVO	DICE ADDRESS):	
LAB /AGENCY		
Address		
ZIP code	TOWN	COUNTRY
VAT for EU Countries	s (PIVA) N	
If your Administration payment on credit care		ord, we will send you a dedicated weblink to provide
Privacy Disclaimer a	nd Authorization	
If Organization (not La	bService) ask for my Company Refe	rence, I authorize LabService (InterCinD Div.) to give my
Company info for furth		
a- <u>Technical and scie</u>	<u>ntific purpose (PT advertising, Com</u>	nunications, Invoices, Meetings etc)
DateSi	gnedName	
b- Advertising purpo	<u>se</u>	
DateSi	gnedName	
PRIVACY. Informativa e consenso ai sensi de	Regolamento UE 2016/679 (GDPR) Il trattamento dei dati che L	a riguardano viene svolto nell'ambito della banca dati elettronica di LabService Analytica srl e nel rispetto

PRIVACY. Informativa e consenso ai sensi del Regolamento UE 2016/679 (GDPR). - Il trattamento dei dati che La riguardano viene svolto nell'ambito della banca dati elettronica di LabService Analytica srl e nel rispetto di quanto stabilito dal GDPR sulla tutela dei dati personali. Il trattamento dei dati è effettuato per finalità gestionali, statistiche, promozionali e commerciali e allo scopo di informarLa ed aggiornarLa su servizi e prodotti offerti da LabService Analytica. I dati personali conferriti potranno essere comunicati, nei limiti di cui al Regolamento UE 2016/679, ai nostri agenti, distributori o soggetti incaricati di effettuare servizi per nostro conto. Ella potrà richiedere in qualsiasi momento la modifica o la cancellazione dei dati scrivendo all'attenzione del Titolare del trattamento della nostra Società (Lab service Analytica Srl – Via Emilia 51/c- 40011 Anzola Emilia-BO). Tel. 051732351 Fax 051732759, e-mail: privacy@labservice.it

The use of your personal data is in compliance with EU Regulamentation 2016/679 (GDPR) and In order to process your subscription, we collect company details from you. These details may include (where applicable) reference names, addresses, telephone numbers, e-mail and IP addresses, or payment details.

Your data may be used for the following purposes: contacting you for further info or PTx changing details, credit or other payment check, statistical and marketing analysis, systems testing, customer surveys and customer relations communications

customer relations communications.

We may also disclose your information to contracted companies who act as "data processors" on our behalf, or with your agreement to ancillary. We follow strict security procedures in the storage and disclosure of information. Our security procedures require that we request proof of identity before we disclose sensitive information regarding your Company data. If you prefer to delete your data from our database, please write to the holder of the Processing of Personal data (Lab Service Analytica srl- Via Emilia 51/C- 40011 Anzola Emilia- BO- ITALY ph. +39051732351) to <a href="mailto:privacy@labservice.it">privacy@labservice.it</a> or fax to +39051732759

#### **HOW TO PROCEED NOW:**

- Send this subscription form (MD11M) duly fulfilled to: InterCinD Organization info@intercind.eu and if required by your Company send a formal purchase order with any detail for your management within the date reported on CALENDAR TABLE for each edition
- 2. Receive the pro-forma invoice sent by InterCinD as order confirmation and request of **payment in advance**, proceed with the payment for the amount due. (If possible before the shipment date). If you prefer to pay by Credit Card or if your account Dept. needs info or find problems, please contact info@intercind.eu
- 3. At the end of the subscription steps and after payment received, InterCinD will ship the required samples by carrier. You will receive by e-mail detailed instruction for the Reserved Area Registration on <a href="www.intercind.eu">www.intercind.eu</a> (Details in IOO2P that your Lab will receive within 3 days after samples shipment). Samples will be sent to participants within the date reported on CALENDAR TABLE for each edition
- 4. After your access to the website reserved area You'll receive your LAB Number, info about the analytes range and the instructions for the data transmission (MD19xxx)
- 5. Insert your final data in your reserved area (www.intercind.eu) within the date reported on CALENDAR TABLE for each edition
- 6. Download the Final Results Report and your Participation Degree from your Reserved area on the www.intercind.eu at the date reported on CALENDAR TABLE for each edition

Thanks again for your interest and collaboration!
For any info, question or request, please CONTACT US!
Regards
InterCinD Staff

Note: All participant records will be kept secure and confidential, and retention time is established in 48 months. Please consider that some activities could be subcontracted (Sample preparation, Homogeneity tests, Statistical Elaboration) in any case the PTP is responsible to the participants for the subcontractor's work, except in the case where a regulatory authority specifies which subcontractor is to be used.

InterCinD Materials are available for at least 6 months after the PT Scheme Report emission. After this period, the detailed list of the available materials can be viewed on www.intercind.eu

InterCinD will not spread your data outside PT Participant Laboratories and will not supply your Company reference to other subject if not explicitly authorized by your subscription format.

The identity of Participants is confidential and known to person involved in the operation of the PT Scheme only, unless the participant waives confidentiality.

In exceptional circumstances, when a regulatory authority requires PT results to be directly provided to the authority by the InterCinD, the affected participant will be notified of this action in writing.

INVOICING and ACCREDITED COMPANY (PTP0007 P):
LabService Analytica Srl - Via Emilia 51/C- 40011 Anzola Emilia - BO
(ITALY) EUROPE VAT Nr. 01512281203